

Specialized in Custom-made Neon Light



NEON STRIP

Product Catalogue



SHENZHEN RAYMATES ELECTRONIC CO., LTD

3-4F, NO. 161 Shihuan Rd, Shiyan Town, Baoan Area, Shenzhen City, China.

www.raymates.com
www.ledlighting-supplier.com

Contact for more details:



WhatsApp



WeChat



Specialized in Custom-made Neon Light


TOP View Neon Light Series

RM-TN1010 RM-TN1212 RM-TN1515 RM-TN1516 RM-TN1614


RM-TN1615 RM-TN1616 RM-TN1716 RM-TN2018




Application




TN1010 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	38.5mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	38.5mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	38.5mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	38.5mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	38.5mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




TN1010 Extrusion Neon Light-Three sides light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	38.5mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	38.5mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	38.5mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	38.5mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	38.5mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




TN1212 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W 10W	332.5-420 644.1-830	38.5mm
Red 620-625nm	DC24V	/	5W 10W	132 331.6	38.5mm
Green 515-525nm	DC24V	/	5W 10W	276.7 374	38.5mm
Blue 460-465nm	DC24V	/	5W 10W	70 129	38.5mm
CCT Tunable (2300+6500K)	DC24V	>90	5W 10W	332.5-420 644.1-830	38.5mm
RGB	DC24V	/	5W 10W	202.8-256.2 392.9-506.3	50mm




Dimension



Bending




Accessories




TN1515 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
Red 620-625nm	DC24V	/	5W	111.6	50mm
			10W	237.5	
			15W	323.2	
Green 515-525nm	DC24V	/	5W	308	50mm
			10W	548.2	
			15W	697.4	
Blue 460-465nm	DC24V	/	5W	57	50mm
			10W	106.9	
			15W	148.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
RGB	DC24V	/	5W	146.6-183.0	50mm
			10W	280.5-353.8	
			15W	364.6-459.9	




Dimension



Bending




Accessories




TN1516 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
Red 620-625nm	DC24V	/	5W	111.6	50mm
			10W	237.5	
			15W	323.2	
Green 515-525nm	DC24V	/	5W	308	50mm
			10W	548.2	
			15W	697.4	
Blue 460-465nm	DC24V	/	5W	57	50mm
			10W	106.9	
			15W	148.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
RGB	DC24V	/	5W	146.6-183.0	50mm
			10W	280.5-353.8	
			15W	364.6-459.9	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	158.6-198.0	62.5mm
			10W	303.5-382.8	
			15W	394.5-497.6	




Dimension




Bending




Accessories




TN1614 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	10W	375	50mm
Red 620-625nm	DC24V	/	10W	174	50mm
Green 515-525nm	DC24V	/	10W	489	50mm
Blue 460-465nm	DC24V	/	10W	89	50mm
CCT Tunable (2300+6500K)	DC24V	>90	10W	375	50mm
RGB	DC24V	/	10W	248	50mm




Dimension



Bending




Accessories




TN1615 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	240.3-300LM	50mm
			10W	459.9-580LM	
			15W	627.5-780LM	
Red 620-625nm	DC24V	/	5W	111.6LM	50mm
			10W	237.5LM	
			15W	323.2LM	
Green 515-525nm	DC24V	/	5W	308LM	50mm
			10W	548.2LM	
			15W	697.4LM	
Blue 460-465nm	DC24V	/	5W	57LM	50mm
			10W	106.9LM	
			15W	148.6LM	
CCT Tunable (2300+6500K)	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
RGB	DC24V	/	5W	146.6-183.0	50mm
			10W	280.5-353.8	
			15W	364.6-459.9	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	/	5W	158.6-198.0	62.5mm
			10W	303.5-382.8	
			15W	394.5-497.6	




Dimension




Bending




Accessories




TN1615 Extrusion Neon Light for Swimming Pool




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	10W	370	50mm
Red 620-625nm	DC24V	/	10W	174	50mm
Green 515-525nm	DC24V	/	10W	489	50mm
Blue 460-465nm	DC24V	/	10W	89	50mm
CCT Tunable (2300+6500K)	DC24V	>90	10W	370	50mm
RGB	DC24V	/	10W	225	50mm
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	10W	244	62.5mm




Dimension




Bending




Accessories




TN1616 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	10W	375	50mm
Red 620-625nm	DC24V	/	10W	174	50mm
Green 515-525nm	DC24V	/	10W	489	50mm
Blue 460-465nm	DC24V	/	10W	89	50mm
CCT Tunable (2300+6500K)	DC24V	>90	10W	370	50mm
RGB	DC24V	/	10W	225	50mm
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	10W	244	62.5mm




Dimension



Bending




Accessories




TN1716 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
Red 620-625nm	DC24V	/	5W	111.6	50mm
			10W	237.5	
			15W	323.2	
Green 515-525nm	DC24V	/	5W	308	50mm
			10W	548.2	
			15W	697.4	
Blue 460-465nm	DC24V	/	5W	57	50mm
			10W	106.9	
			15W	148.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
RGB	DC24V	/	5W	146.6-183.0	50mm
			10W	280.5-353.8	
			15W	364.6-459.9	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	158.6-198.0	62.5mm
			10W	303.5-382.8	
			15W	394.5-497.6	




Dimension




Bending




Accessories




TN2018 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
Red 620-625nm	DC24V	/	5W	111.6	50mm
			10W	237.5	
			15W	323.2	
Green 515-525nm	DC24V	/	5W	308	50mm
			10W	548.2	
			15W	697.4	
Blue 460-465nm	DC24V	/	5W	57	50mm
			10W	106.9	
			15W	148.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
RGB	DC24V	/	5W	146.6-183.0	50mm
			10W	280.5-353.8	
			15W	364.6-459.9	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	158.6-198.0	62.5mm
			10W	303.5-382.8	
			15W	394.5-497.6	



Dimension



Bending




Accessories




TN2018 Extrusion Neon Light-Three sides light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
Red 620-625nm	DC24V	/	5W	111.6	50mm
			10W	237.5	
			15W	323.2	
Green 515-525nm	DC24V	/	5W	308	50mm
			10W	548.2	
			15W	697.4	
Blue 460-465nm	DC24V	/	5W	57	50mm
			10W	106.9	
			15W	148.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	240.3-300	50mm
			10W	459.9-580	
			15W	627.5-780	
RGB	DC24V	/	5W	146.6-183.0	50mm
			10W	280.5-353.8	
			15W	364.6-459.9	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	158.6-198.0	62.5mm
			10W	303.5-382.8	
			15W	394.5-497.6	




Dimension



Bending



Accessories






Side View Neon Light Series

RM-SN0408	RM-SN0410	RM-SN0508	RM-SN0510	RM-SN0513
RM-SN0612	RM-SN0613	RM-SN0714	RM-SN0815	RM-SN0816
RM-SN0817	RM-SN1010	RM-SN1018	RM-SN1020	RM-SN1022
RM-SN1025	RM-SN1515	RM-SN1616		

2700K
 3000K
 3500K
 4000K
 5000K
 6000K
 TW

R
 G
 B
 Pink
 Amber
 RGB
 RGBW


Application




SN0408 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN0410 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension




Bending




Accessories




SN0508 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN0510 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension




Bending




Accessories




SN0513 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension




Bending




Accessories




SN0612 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension




Bending




Accessories




SN0613 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension




Bending




Accessories




SN0714 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN0714 IP68 Extrusion Neon Light-Gathering light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN0815 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN0816 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN0817 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN1010 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN1018 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W 10W	332.5-420 644.1-830	50mm
Red 620-625nm	DC24V	/	5W 10W	153.7 331.6	50mm
Green 515-525nm	DC24V	/	5W 10W	512.7 920.8	50mm
Blue 460-465nm	DC24V	/	5W 10W	93.96 173.6	50mm
CCT Tunable (2300+6500K)	DC24V	>90	5W 10W	332.5-420 644.1-830	50mm
RGB	DC24V	/	5W 10W	202.8-256.2 392.9-506.3	50mm




Dimension



Bending




Accessories




SN1020 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	219.5-277.2	62.5mm
			10W	425.1-547.8	




Dimension



Bending




Accessories




SN1022 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	219.5-277.2	62.5mm
			10W	425.1-547.8	




Dimension




Bending




Accessories




SN1225 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	
RGB+2700K / 3000K / 4000K / 6000K	DC24V	>90	5W	219.5-277.2	62.5mm
			10W	425.1-547.8	




Dimension



Bending




Accessories




SN1515 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	




Dimension



Bending




Accessories




SN1616 Extrusion Neon Light




Specification					
Color	Voltage	CRI	Power (W/M)	Lumen LM/M	Cut
2300K-6500K	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
Red 620-625nm	DC24V	/	5W	153.7	50mm
			10W	331.6	
Green 515-525nm	DC24V	/	5W	512.7	50mm
			10W	920.8	
Blue 460-465nm	DC24V	/	5W	93.96	50mm
			10W	173.6	
CCT Tunable (2300+6500K)	DC24V	>90	5W	332.5-420	50mm
			10W	644.1-830	
RGB	DC24V	/	5W	202.8-256.2	50mm
			10W	392.9-506.3	



Dimension



Bending



Accessories

